



Plastic spool




S 100 (plastic)


Basket spool



B 202 (metal)




S 200 (plastic)




B 300 (metal)

Adapter: 2158341




S 300 (plastic)



B415/B435


*SAW Adapter: K299 (axis 25 mm)
FCAW Adapter: K1504-1 (axis 50 mm)*



BS 300 (metal)

*Adapters for 15-kg Stein Basket:
- K10158
- K10158-1 (plastic)*

Wire Basket




14C (metal)

50C (metal)

Inner diameter 300 mm
 Outer diameter 420 mm
 Outer width 110 mm

Adapter: K10075 (axis 25 mm)

Adapter: K435 (axis 50 mm)




25RR (metal)

22RR (metal)

Inner diameter 230 mm
 Outer diameter 305 mm
 Outer width 96 mm

Adapter: K363P




Decoiling unit DA 100/300Z

or:

Decoiling unit: TR 100/300

AccuTrak® EcoDrum



Advantages

- No tangles, tens of thousands of drums made.
- "Integral lifting straps" for crane or fork lift handling.
- No plastic hoods needed eliminating expensive accessories.
- Rigid cardboard construction.
- "Retaining ring" specifically designed for easy pay off.
- Drum is completely recyclable, no metal or plastic parts.

AccuTrak® standard

